

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S82	1	"09957212"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 16:32
S81	2	"20030053815".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 16:32
S80	16	(IV or (initial adj vector\$1)) with (device\$1 with (serial adj number\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 16:31
S79	0	(IV or (initial adj vector\$1)) near5 (device\$1 with (serial adj number\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 16:24
S78	3	(IV or (initial adj vector\$1)) near5 (device\$1 near3 (serial adj number\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 16:23
S77	3	(IV or (initial adj value)) near5 (device\$1 near3 (serial adj number\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 16:23
S76	0	(IV or (initial adj value)) near3 (device\$1 near3 (serial adj number\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 16:22

## EAST Search History

S74	71	(IV or (initial adj value)) near3 (serial adj number\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 16:22
S75	2	S74 and DES	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 16:21
S73	285	(IV or (initial adj value)) with (serial adj number\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 16:20
S72	7	S71 and DES	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 16:19
S71	36	(device near2 identit\$3) with (generat\$3 near3 key\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 15:48
S70	124	(device with identit\$3) with (generat\$3 near3 key\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 15:47
S69	7	(input near2 (device with identit\$3)) with key\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 15:45

## EAST Search History

S68	0	(input near2 (device with identit\$3) near2 key\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 15:41
S67	0	(input near2 (device with identit\$3) near2 key\$1) and (DES)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 15:41
S66	0	((input near2 (device adj key\$1)) with identit\$3) and (DES)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 15:38
S64	28	(input near2 (device adj key\$1)) and (DES)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 15:38
S65	13	S64 not S62	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 15:37
S63	219	(input near3 device near3 key\$1) and (DES)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 15:33
S62	15	(input adj device adj key\$1) and (DES)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 15:20

## EAST Search History

S61	72	(device adj key\$1) and (DES) and (input adj key\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 15:16
S60	1	(device adj key\$1) same (DES adj key\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 15:15
S59	97	(device adj key\$1) and (DES adj key\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 15:13
S58	2	S55 and (key adj generator\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 15:09
S57	0	S55 and (key adj sequence adj generator\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 15:05
S55	21	(DES near3 key\$1) and (device adj identit\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 15:04
S56	0	(DES near3 key\$1) same (device adj identit\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 15:02

## EAST Search History

S54	4	(key adj space\$1) and (device adj identit\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 15:01
S53	0	(key adj space\$1) same (device adj identit\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 15:00
S52	0	(key adj space\$1) with (device adj identit\$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/11/08 14:59
S51	2	"20050198493".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/08/16 16:50
S50	82	S48 and S49	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/26 14:37
S49	2275	(input with output with (key\$1 or random) with (equivalent or identical or "same"))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/26 14:36
S48	5673	380/277-280.ccls. or 713/189-194.ccls. or 726/16-20.ccls.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/26 14:36
S47	124	((encrypt\$3 adj engine\$1) same processor\$1 same memor\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/26 11:22
S46	1	"4908861".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/26 11:02

## EAST Search History

S45	6	((output adj key\$1) with (diff\$1 or different) with (input adj key\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/26 11:02
S32	6	((output adj key\$1) with match\$3 with (input adj key\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/26 10:46
S44	27	S42 and (second near2 key\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/25 22:37
S43	79	S42 not S37	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/25 22:36
S42	124	((encrypt\$3 adj engine\$1) same processor\$1 same memor\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/25 22:36
S41	1	((encrypt\$3 adj engine\$1) with processor\$1 with memor\$3) and (encryptor\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/25 22:36
S40	1	((encrypt\$3 adj engine\$1) with processor\$1 with memor\$3) and (output adj key\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/25 22:35
S39	1	((encrypt\$3 adj engine\$1) with processor\$1 with memor\$3) same (output adj key\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/25 22:34
S38	0	((encrypt\$3 adj engine\$1) with processor\$1 with memor\$3) same encryptor\$1	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/25 22:34
S37	45	(encrypt\$3 adj engine\$1) with processor\$1 with memor\$3	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/25 22:33
S36	1	encryptor with (engine\$1 with processor\$1 with memor\$3)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/25 22:32
S35	15	((output adj key\$1) same identical same (input adj key\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/25 17:30

## EAST Search History

S34	0	((output adj key\$1) same match\$3 same (input adj key\$1)) same loopback	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/25 17:29
S33	0	((output adj key\$1) same match\$3 same (input adj key\$1)) same feedback	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/25 17:29
S31	2	((output adj key\$1) with similar with (input adj key\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/25 17:26
S30	2	((output adj key\$1) with equivalent with (input adj key\$1))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/25 17:20
S29	0	("if" with (output adj key\$1) with equivalent with (input adj key\$1)) and "20050105736".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/25 17:19
S28	1	((output adj key\$1) with equivalent with (input adj key\$1)) and "20050105736".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/25 17:19
S27	0	(if with (output adj key\$1) with equivalent with (input adj key\$1)) and "20050105736".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/25 17:18
S26	0	if with (output adj key\$1) with equivalent with (input adj key\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/25 17:18
S25	1	(output adj (key\$1 or random)) and if and (input adj (key\$1 or random))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/25 17:16
S24	0	(output adj (key\$1 or random)) and if same (input adj (key\$1 or random))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/25 17:16
S23	1	(output adj (key\$1 or random)) and "if" and (input adj (key\$1 or random))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/25 17:15
S22	0	(output adj (key\$1 or random)) same "if" same (input adj (key\$1 or random))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/25 17:15

## EAST Search History

S21	0	(output adj (key\$1 or random)) same if same (input adj (key\$1 or random))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/25 17:15
S20	0	(output adj (key\$1 or random)) with if with (input adj (key\$1 or random))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/25 17:14
S17	9	(output adj (key\$1 or random)) with compar\$3 with (input adj (key\$1 or random))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/25 17:14
S19	0	(output adj key\$1) with if with (input adj key\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/25 17:13
S16	7	(output adj key\$1) with compar\$3 with (input adj key\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/25 17:13
S18	2	S17 not S16	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/25 17:12
S13	18	(output adj key\$1) near2 compar\$3 near2 (inputadj key\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/25 17:08
S11	55	(output adj key\$1) near2 ("same" or equivalent) near2 (inputadj key\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/25 17:04
S10	17	S9 not S8	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/25 12:50
S9	18	(output adj key\$1) with ("same" or equivalent) with (input adj key\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/25 12:50
S8	4	(output adj key\$1) adj ("same" or equivalent) near2 (inputadj key\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/25 12:50
S7	55	(output adj key\$1) near2 ("same" or equivalent) near2 (inputadj key\$1)	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/25 12:49



## EAST Search History

S6	32	(input near2 output near2 (key\$1 or random) near4 (equivalent or identical or "same"))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/25 12:47
S5	2275	(input with output with (key\$1 or random) with (equivalent or identical or "same"))	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/25 12:06
S4	1	10/712,003	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/23 15:14
S3	5	"4004089".pn. or "20010038693".pn. or "20030007644".pn. or "5420928".pn. or "6957329".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/23 15:14
S1	1	"20050105736".pn.	US-PGPUB; USPAT; EPO; JPO; IBM_TDB	OR	ON	2007/02/23 10:34